European Conference on Trapped Ions (ECTI)



Contribution ID: 202

Type: Poster

Cold highly charged ions in a Paul trap with superconducting magnetic shielding

Tuesday, 26 September 2023 19:30 (2 hours)

Highly charged ions (HCI) offer promising candidate species for searches of physics beyond the Standard Model and next-generation optical atomic clocks. In the CryPTEx-SC experiment, we store HCIs in a cryo-genic linear Paul trap that simultaneously functions as a superconducting radio-frequency resonator filtering the trap drive [1].

The HCIs are produced in a compact electron beam ion trap and then injected into and sympathetically cooled by a Coulomb crystal of Be^+ ions. Subsequently removing ions until a single Be^+ cooling ion and a single HCI are left enables quantum logic spectroscopy towards frequency metrology and qubit operations with a great variety of species.

We present Be⁺ microwave spectroscopy measurements characterizing the magnetic shielding properties of the resonator trap built from superconducting niobium that almost fully encloses the stored ions [2]. While cooling the resonator trap down through its transition temperature into the superconducting state, a quantization magnetic field applied at this time becomes persistent and the trap becomes shielded from subsequent external electromagnetic fluctuations.

Using a magnetically-sensitive hyperfine transition of Be⁺ as probe, we measure the fractional decay rate of the stored magnetic field to be at the 10^{-10} s⁻¹ level. Ramsey interferometry and spin-echo measurements yield coherence times of over 400 ms without active field stabilization, demonstrating excellent passive shield-ing of magnetic field noise at frequencies down to DC, producing a suitable environment for precision ion spectroscopy.

[1] Stark et al., Rev. Sci. Instrum. 92, 083203 (2021)

[2] Dijck et al., arXiv:2306.01670, to appear in Rev. Sci. Instrum. (2023)

Primary author: DIJCK, Elwin (Max Planck Institute for Nuclear Physics)

Co-authors: WARNECKE, Christian (Max Planck Institute for Nuclear Physics); WEHRHEIM, Malte (Physikalisch-Technische Bundesanstalt, Braunschweig); HENNINGER, Ruben (Max Planck Institute for Nuclear Physics); EFF, Julia (Max Planck Institute for Nuclear Physics); GEORGIOU, Kostas (Max Planck Institute for Nuclear Physics); GRAF, Andrea (Max Planck Institute for Nuclear Physics); KOKH, Stepan (Max Planck Institute for Nuclear Physics); KOZHIPARAM-BIL SAJITH, Lakshmi (Max Planck Institute for Nuclear Physics); MAYO, Christopher (Max Planck Institute for Nuclear Physics); SCHÄFER, Vera (Max Planck Institute for Nuclear Physics); VOLK, Claudia (Max Planck Institute for Nuclear Physics); SCHMIDT, Piet; PFEIFER, Thomas (Max Planck Institute for Nuclear Physics); Prof. CRESPO LÓPEZ-URRUTIA, José R. (Max-Planck-Institut für Kernphysik, Heidelberg)

Presenter: DIJCK, Elwin (Max Planck Institute for Nuclear Physics)

Session Classification: Tuesday Poster